



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/050,358	01/16/2002	Nicolai Kosche	004-7047	5734
66083	7590	10/31/2007	EXAMINER	
SUN MICROSYSTEMS, INC.	c/o DORSEY & WHITNEY, LLP		WANG, RONGFA PHILIP	
370 SEVENTEENTH ST. SUITE 4700 DENVER, CO 80202			ART UNIT	PAPER NUMBER
			2191	
			MAIL DATE	DELIVERY MODE
			10/31/2007	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary	Application No.	Applicant(s)
	10/050,358	KOSCHE ET AL.
	Examiner Philip Wang	Art Unit 2191

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) Responsive to communication(s) filed on 20 August 2007.
- 2a) This action is FINAL. 2b) This action is non-final.
- 3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) Claim(s) 1,3,5-31,37,38,46,47,49-54,59-66,68 and 69 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) Claim(s) _____ is/are allowed.
- 6) Claim(s) 1,3,5-31,37,38,46,47,49-54,59-66,68 and 69 is/are rejected.
- 7) Claim(s) _____ is/are objected to.
- 8) Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) The specification is objected to by the Examiner.
- 10) The drawing(s) filed on _____ is/are: a) accepted or b) objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) All b) Some * c) None of:
 1. Certified copies of the priority documents have been received.
 2. Certified copies of the priority documents have been received in Application No. _____.
 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|---|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date _____. | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| | 6) <input type="checkbox"/> Other: _____. |

DETAILED ACTION

1. This office action is in response to RCE filed on 8/20/2007.
2. Per Applicant's request, claims 1, 3, 5, 19, 31, 46, 59, 63, 65-66, and 68 have been amended; claim 67 has been canceled.
3. Claims 1, 3, 5-31, 37-38, 46-47, 49-54 and 59-66, and 68-69 remain pending.

Objection

Specification

4. The disclosure is objected to because it contains an embedded hyperlink and/or other form of browser-executable code. For example, last line of page 2 and first line of page 3 contain a hyperlink. Applicant is required to delete the embedded hyperlink and/or other form of browser-executable code. See MPEP § 608.01. The previous amendment to the specification dated 1/15/2007 did not remove all hyperlinks. The amended specification specifically recites "...the webpage found at research.digital.com/SRC/dcpi or tru64unix.Compaq.com/dcpi." The format "<>" or http:// followed by a URL address are just examples of browser executables. That does not preclude using other ways to describe the same links. In this case, the Applicant specifically refer the above two links as webpage, so they are still hyperlinks.

Claim Rejections - 35 USC § 112

The following is a quotation of the first paragraph of 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

Art Unit: 2191

5. Claims 1, 3, 5-18, 19-31, 37-38, 46-47, 49, 60, 62-66, 68-69 are rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the written description requirement. The claim(s) contains subject matter which was not described in the specification in such a way as to reasonably convey to one skilled in the relevant art that the inventor(s), at the time the application was filed, had possession of the claimed invention. Claim 63 depends on claim 1, claim 60 depends on claim 59 and claims 64-69 depend on claim 19. The newly amended independent claims 1, 19, and 59 added the limitation of "determining that the ambiguity creating location is not encountered while backtracking". That means the claimed backtracking is performed strictly within an unambiguous skid region. An unambiguous skid region does not contain any ambiguity creating location (per claim 5). However, claims 3, 31, 60, 63-69 recite the limitation of an ambiguity location. The examiner believes that the specification does not have any disclosure describing an unambiguous skid region containing an ambiguity creating location.

Claim 62 depends on claim 3 and suffers the same deficiency.

Claims 46 recites the limitation of "classifying the execution event as associated with one or more ambiguous or unambiguous creating locations or not associated with one or more of the ambiguity creating locations". To the best of the examiner's understanding the specification has no disclosure of "classifying the execution event as associated with one or more ambiguous or unambiguous creating locations or not associated with one or more of the ambiguity creating locations".

Claims 47 and 49 depend on claim 46 and suffer the same deficiency.

Art Unit: 2191

The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

6. Claims 1, 3, 5-18, 19-31, 37-38, 60, 62-66, 68 are rejected under 35 U.S.C. 112, second paragraph, as failing to set forth the subject matter which applicant(s) regard as their invention. Evidence that claims 1, 19 and 59 fail(s) to correspond in scope with that which applicant(s) regard as the invention can be found in [1022] of page 7, lines 4-6, "Absent the ambiguity creating location, backtracking from the miss detection to load instruction is straightforward". The purpose of the instant invention is to perform backtracking while in a skid region containing ambiguity creating locations, which is contrary to what the claims language of independent claims 1, 19 and 59. The newly amended independent claims 1, 19; and 59 added the limitation of "determining that the ambiguity creating location is not encountered while backtracking". Further, in the Applicant's remark, page 12, section C, second paragraph, the Applicant specifically states that a branch is not a ambiguity creating location (also see the examiner's response to remark, item 2). That means the claimed backtracking is performed strictly within a skid region without branch instructions, therefore can be an unambiguous skid region. Therefore all depend claims of claims 1, 19 and 59 suffer the same deficiency.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

Art Unit: 2191

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

(c) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

7. Claims 1, 3, 5-15, 19-31, 37-38, 46, 47, 49, 59-60, 62 are rejected under 35 U.S.C. 102(b) as being anticipated by Anderson et al. (US Patent No. 5,964,867).

As per claim 1, Anderson et al. disclose

Identifying an ambiguity creating location in the code, the ambiguity creation location being an operation reachable from a plurality of program execution paths (col. 1, 35-40, shows using instrumentation for profiling code; col. 23, line 55-col. 24, line 31, for example, col. 24, line 9, "...ambiguities...");

executing the code on a processor (col. 26, line 61, "Machine code is executed...");

detecting the execution event (col. 5, line 39-43, "... sampling the program counter when event counters overflow...");

and backtracking a displacement from a detection point in the code coinciding with the detection of the execution event to a preceding operation associated with the execution event, the backtracking identifying the preceding operation, determining that the ambiguity creating location is not encountered while backtracking; and wherein the displacement is based, at least in part, on a type of operation appropriate to have triggered the execution event (col. 1, line 35-40, "... to monitor specific events during execution of a program..."; col. 3, 35-49, "for example a

Art Unit: 2191

load instruction... static analysis... can work backwards... to identify the actual instruction that caused the event.”)

As per claim 3, the rejection of claim 1 is incorporated; further Anderson et al. disclose **if the ambiguity creating location is encountered while backtracking, either ignoring the execution event or bridging the ambiguity creating location** (col. 25, line 17-22, “For each instruction executed in the trace, work backwards to determine path segments until either: (a) the global branch history bits are exhausted...”).

As per claim 5, the rejection of claim 1 is incorporated; further Anderson et al. disclose **the ambiguity creating location is one of: a jump target location; an indirect branch target location; a branch target location; entry point location; a trap handler location; and an interrupt handler location** (col. 23, line 56-58, “asynchronous events that cause branched code to execute... such as interrupts... can pollute branch history...”).

As per claim 6, the rejection of claim 1 is incorporated; further Anderson et al. disclose **the preceding operation corresponds to a load instruction (;**
and the execution event is a cache miss (col. 12, line 31, “Events could include cache misses...”).

Art Unit: 2191

As per claim 7, the rejection of claim 1 is incorporated; further Anderson et al. disclose **the preceding operation corresponds to a memory access instruction** (col. 9, line 49-50, "... execute memory access instructions..."); **the execution event is either a hit or a miss at a level in a memory hierarchy** (col. 12, line 31, "Events could include cache misses...").

As per claim 8, the rejection of claim 1 is incorporated; further Anderson et al. disclose **the execution event is either an overflow or an underflow of a hardware counter** (col. 5, line 38-40, "... sampling the program counter when event counter overflow..."; col. 6, line 62-65, "... hardware event-counters...").

As per claim 9, the rejection of claim 1 is incorporated; further Anderson et al. disclose **the execution event triggers either an overflow or an underflow of a hardware counter that is itself detected** (col. 12, line 31-35, "Events could include cache misses..."; col. 5, line 38-40, "... sampling the program counter when event counter overflow..."; col. 6, line 8, "Special-purpose hardware could count...").

As per claim 10, the rejection of claim 1 is incorporated; further Anderson et al. disclose **the latency includes that associated with delivery of a trap** (col. 9, line 59-65, "...some instructions may abort or be trapped. For example, the execution flow may change after an instruction is fetched, or an instruction may suffer an exception trap. In these cases, the instruction and all subsequent instructions already in the pipeline are discarded and the

Art Unit: 2191

speculative processing state is rolled back." The examiner asserts that the action to discard or rollback instructions takes time and inherently introduces latency.)

As per claim 11, the rejection of claim 1 is incorporated; further Anderson et al. disclose the **latency includes that associated with delivery of a counter overflow event signal** (col. 12, line 51-68, "Latency registers store timing information taken at check points... The checkpoints may differ from processor to processor depending on where an instruction might be stalled waiting for some event or resource. Each latency register counts the number of cycles an instruction spent between two checkpoints." The examiner interprets that one processor may use a counter overflow event as check point for latency.)

As per claim 12, the rejection of claim 1 is incorporated; further Anderson et al. disclose the **latency is associated with pipeline execution skid** (col. 12, line 56-58, "... latency regist4r counts the number of cycles... between two checkpoints.").

As per claim 13, the rejection of claim 1 is incorporated; further Anderson et al. disclose the **latency is associated with completion of in-flight operation** (col. 12, line 51-52, "Latency registers stores timing information... while a selected instruction is in flight".)

Art Unit: 2191

As per claim 14, the rejection of claim 1 is incorporated; further Anderson et al. disclose
embodied in a computer program product (col. 8, line 22-30, "... instructions
and data of software programs are stored in the memories... instructions
are decoded for execution.")

As per claim 15, the rejection of claim 1 is incorporated; further Anderson et al. disclose
embodied in at least one of: a profiling tool; a code optimizer; and a runtime library
(col. 10, line 13-21, "This makes the profile record useful... profile-
directed optimization...").

As per claim 19, Anderson et al. disclose a method of identifying operations associated with
execution events of a processor, the method comprising:
Identifying a target operation and an ambiguity creating location within an execution sequence
of operation of the processor (col. 1, 35-40, shows using instrumentation for profiling code; col.
23, line 55-col. 24, line 31, for example, col. 24, line 9, "...ambiguities...");
**from a point in an execution sequence of the operations of the processor, the point
coinciding with an execution event, backtracking through the operations toward a
particular operation that precedes the coinciding point by a displacement, wherein the
displacement is based, at least in part on a type of operation appropriate for triggering
the execution event; determining that the ambiguity creating location is not encountered
while backtracking; and associating the execution event with the particular operation.**
(col. 3, 35-49, "for example a load instruction... static analysis... can
work backwards... to identify the actual instruction that caused the
event."); col. 7, line 7-9, "Latencies of instructions of the program

Art Unit: 2191

are measured...");

As per claim 20, the rejection of claim 19 is incorporated; further Anderson et al. disclose executing **the sequence of operations on the processor** (col. 26, line 61, "Machine code is executed..."); and **detecting the execution event** (col. 5, line 39-40, "... sampling the program counter when event counters overflow...").

As per claim 21, the rejection of claim 19 is incorporated; further Anderson et al. disclose **the operations are instructions executable on the processor** (col. 2 line 12-13, "... operation of a processor that can issue instructions..."); and **the particular operation is a particular one of the instructions that triggers the execution event** (col. 16, line 13-18, "As the instruction progresses... trigger signals... Ptrap...").

As per claim 22, the rejection of claim 19 is incorporated; further Anderson et al. disclose **the operations correspond to instructions of program code.** (col. 2 line 12-13, "... operation of a processor that can issue instructions...").

As per claim 23, the rejection of claim 19 is incorporated; further Anderson et al. disclose **the execution event is an exception triggering execution of the particular operation** (col. 12, line 31-38, "Events could include.... And exception conditions...").

As per claim 24, the rejection of claim 19 is incorporated; further Anderson et al. disclose the **execution event is a cache miss** (col. 12, line 31, "Events could include cache misses...").

As per claim 25, the rejection of claim 19 is incorporated. It recites the same limitation as claim 10 and is rejected for the same reason set forth in connection with the rejection of claim 10 above.

As per claim 26, the rejection of claim 19 is incorporated; further Anderson et al. disclose the **execution event triggers a hardware event and the displacement is based, at least in part, on delivery of a signal associated therewith** (col. 12, line 51-68, "Latency registers store timing information taken at check points... The checkpoints may differ from processor to processor depending on where an instruction might be stalled waiting for some event or resource. Each latency register counts the number of cycles an instruction spent between two checkpoints." The examiner interprets that one processor may use a counter overflow event as check point for latency.)

As per claim 27, the rejection of claim 26 is incorporated; further Anderson et al. disclose the **hardware event is either underflow or overflow of a counter associated with the execution event** (col. 5, line 38-40, "... sampling the program counter when event counter overflow..."; col. 6, line 62-65, "... hardware event-counters...").

Art Unit: 2191

As per claim 28, the rejection of claim 19 is incorporated; further Anderson et al. disclose the **execution event is either underflow or overflow of a counter** (col. 5, line 38-40, "... sampling the program counter when event counter overflow...").

As per claim 29, the rejection of claim 19 is incorporated; further Anderson et al. disclose **instances of intervening control transfer targets are identified in the execution sequence of operations to facilitate the backtracking** (col. 24, line 26-31, "... perform a backward analysis... can identify execution paths...").

As per claim 30, the rejection of claim 29 is incorporated; further Anderson et al. disclose at **least some of the instances of intervening control transfer targets are resolved using branch history information** (col. 25, line 17-22, "For each instruction executed in the trace, work backwards to determine path segments until either:

- (a) the global branch history bits are exhausted...").

As per claim 31, the rejection of claim 19 is incorporated; further Anderson et al. disclose an **ambiguity creating location in the execution sequence are identified by a compiler** (col. 24, line 33-34, "The analysis can identify execution Paths...").

As per claim 37, the rejection of claim 19 is incorporated; further Anderson et al. disclose the **particular operation comprises a memory referencing instructions** (col. 12, line 13-15, "... the instruction is a memory access instruction...");

As per claim 38, the rejection of claim 37 is incorporated; further Anderson et al. disclose the **memory referencing instruction comprises one or more of loads, stores and prefetches** (col. 12, line 13-15, "... the instruction is a memory access instruction, such as a load...");

As per claim 46, Anderson et al. disclose a method of preparing code, the method comprising:
preparing a tangible first executable instance of the code(col. 8, line 22-25, "During operation of the system, instructions and data of software programs are stored in the memories. The instructions and data are generated conventionally using known compiler..." It is inherent that a compiler prepares the execution sequence of the operations.),
the preparing identifying at least ambiguity creating locations therein(col. 24, line 33-34, "The analysis can identify execution Paths...");
executing the first executable instance and responsive to detection of an execution event(col. 26, line 61, "Machine code is executed..."; col. 1, line 35-40, "... to monitor specific events during execution of a program...");
backtracking a displacement through the code to an operation thereof, wherein the displacement is based, at least in part, on a type of operation appropriate to have triggered the execution event; and associating the operation with the execution event.(col. 3, 35-49, "for example a load instruction... static analysis... can work backwards... to identify the actual instruction that caused the event.");;

and classifying the execution event as associated with one or more of the ambiguity creating locations or not associated with one or more of the ambiguity creating locations (col. 24, lines 26-38, "...analysis can identify execution path...branch history...").

As per claim 47, the rejection of claim 46 is incorporated; further Anderson et al. disclose the **association between the associated operation and the execution characteristic is based on a set of additional detections and responsive backtracking** (col. 25, line 17-22, "For each instruction executed in the trace, work backwards to determine path segments until either: (a) the global branch history bits are exhausted...").

As per claim 49, the rejection of claim 46 is incorporated; further Anderson et al. disclose **resolving at least some intervening ones of the identified ambiguity creating locations using branch history information** (col. 25, line 17-22, "For each instruction executed in the trace, work backwards to determine path segments until either:

(a) the global branch history bits are exhausted...").

As per claim 59, Anderson et al. disclose

Means for identifying an ambiguity creating location(col. 23, line 55-col. 24, line 31, for example, col. 24, line 9, "...ambiguities...");

means for backtracking predetermined displacement from a point coinciding with an execution event in an execution sequence of operations on a processor, through the execution sequence toward a particular operation thereof that precedes the coinciding point, wherein the backtracking displacement is based, at least in part, on a tpe of the particular operation;

means for determining that ambiguity creating location is not encountered during the backtracking;

and means for associating the execution event with the particular operation.(col. 1, line 35-40, "... to monitor specific events during execution of a program..."; col. 3, line 46-49, "... static analysis... can work backwards... to identify the actual instruction that caused the event.").

As per claim 60, the rejection of claim 59 is incorporated; further Anderson et al. disclose **means for bridging at least some ambiguity creating locations**(col. 25, line 17-22, "For each instruction executed in the trace, work backwards to determine path segments until either: (a) the global branch history bits are exhausted...").

As per claim 62, the rejection of claim 3 is incorporated; further Anderson et al. disclose wherein the ambiguity creating location is bridged using branch history information (col. 25, line 17-22, "For each instruction executed in the trace, work backwards to determine path segments until either: (a) the global branch history

Art Unit: 2191

bits are exhausted...") .

Claim Rejections - 35 USC § 103

1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

2. Claims 16-18 rejected under 35 U.S.C. 103(a) as being unpatentable over Anderson et al. (US Patent No. 5,964,867) in view of Ronstrom (US PGPub. No. 2002/0010913).

As per claim 16, the rejection of claim 1 is incorporated.

Anderson et al. do not disclose padding operations.

However, Ronstrom discloses a compiler that pads the code with one or more padding operations to absorb at least some instances of the latency (p. 1, [0012], "... the compiler... generating a dummy instruction code for lowering cache miss penalty and inserting the same...") .

Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to incorporate the teaching of Ronstrom into the teaching of Anderson et al. to include padding dummy instruction. The modification would be obvious to one of ordinary skill in the art to want to lower cache miss penalty (p. 1, [0012], line 12-13, "...lowering cache miss penalty...")

As per claim 17, the rejection of claim 16 is incorporated; further Ronstrom disclose the padding

Art Unit: 2191

operations are not themselves associated with the execution event (p. 1, [0012], "... the compiler... generating a dummy instruction... and inserting the same..." It is inherent that a dummy operation does nothing but consumes processor cycles. So, dummy instructions are not associated with the execution events.).

As per claim 18, the rejection of claim 16 is incorporated; further Ronstrom disclose **each padding operation is not an ambiguity creating location** (p. 1, [0012], "... the compiler... generating a dummy instruction... and inserting the same..." A dummy operation does nothing but consumes processor cycles. So, padding dummy instructions does not create ambiguity locations.)

3. Claims 63-68 are rejected under 35 U.S.C. 103(a) as being unpatentable over Anderson et al. (US Patent No. 5,964,867) in view of Bala et al. ("Efficient Instruction Scheduling Using Finite State Automata").

As per claim 63,

the rejection of claim 1 is incorporated;

further Anderson et al. disclose

- identifying the preceding operation (col. 3, 35-49, "for example a load instruction... static analysis... can work backwards... to identify the actual instruction that caused the event.").
- wherein the expected detection latency is based, at least in part, on a type of the identified preceding operation (col. 3, 35-49, "for example a load

instruction... static analysis... can work backwards... to identify the actual instruction that caused the event.”)

Anderson et al. do not specifically disclose

- identifying an ambiguity creating location, determining an interval and inserting padding operations.

However, Bala et al. disclose

- identifying an ambiguity creating location subsequent to the identified preceding operation (p. 47, left col., 3rd para., "...the ability to insert an instruction into the middle of an already scheduled block...scheduled above a branch..." The examiner asserts that a branch is an ambiguity creating location and it is inherent to have to a step of identifying such location before inserting instruction before it.)..,
- determining that an unambiguous interval between the ambiguity creating location and the identified operation is insufficient to cover an expected detection latency for the identified preceding operation; and inserting padding operations, which provide at least a portion of a skid region between the identified preceding operation and the ambiguity creating location, into the code subsequent to the identified operation, (p. 46, left col., section 1, line 6-8, "...insert explicit NOP instructions in the stream to prevent hazards..."; p. 47, left col., 3rd para., "...the ability to insert an instruction into the middle of an already scheduled block...scheduled above a branch..." The examiner asserts that such insertion of instruction is a result of

Art Unit: 2191

determining that an unambiguous interval between the ambiguity creating location and the identified operation is insufficient to cover an expected detection latency for the identified preceding operation, therefore such determination is inherent).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to incorporate the teachings of Bala et al. into the teachings of Anderson et al. to include identifying an ambiguity creating location subsequent to the identified preceding operation determining that an unambiguous interval between the ambiguity creating location and the identified operation is insufficient to cover an expected detection latency for the identified preceding operation; and inserting padding operations, which provide at least a portion of a skid region between the identified preceding operation and the ambiguity creating location, into the code subsequent to the identified operation. The modification would be obvious to one of ordinary skill in the art to want to effectively detect hazards as suggested by Bala et al. (p. 47, left col., line 4-5, "...effectively reducing the problem of structural hazard detection...")

As per claim 64,

the rejection of claim 19 is incorporated; see reason for rejection of claim 63 of identifying.

As per claim 65, the rejection of claim 64 is incorporated;

further Anderson et al. disclose

Art Unit: 2191

- ignoring a second execution event if the ambiguity creating location is encountered while backtracking (col. 23, line 64, "...events can be ignored...").

As per claim 66, the rejection of claim 64 is incorporated; further Anderson et al. disclose

- encountering the ambiguity creating location while backtracking; and bridging the ambiguity creating location using branch history information (col. 25, line 17-22, "For each instruction executed in the trace, work backwards to determine path segments until either: (a) the global branch history bits are exhausted...").

As per claim 68, the rejection of claim 64 is incorporated;

Anderson et al. do not specifically disclose inserting padding operations.

However, Bala et al. disclose

- inserting one or more padding operations into the sequence of operations between the identified target operation and the ambiguity creating location to cover an expected detection latency of the target operation (p. 46, left col., section 1, line 6-8, "...insert explicit NOP instructions in the stream to prevent hazards..."; p. 47, left col., 3rd para., "...the ability to insert an instruction into the middle of an already scheduled block...scheduled above a branch...").

Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to incorporate the teachings of Bala et al. into the teachings of Anderson et al. to include inserting one or more padding operations into the sequence of operations between

Art Unit: 2191

a first of the identified target operations and a first of the identified ambiguity creating locations to cover an expected detection latency of the first identified target operation. The modification would be obvious to one of ordinary skill in the art to want to effectively detect hazards as suggested by Bala et al. (p. 47, left col., line 4-5, "...effectively reducing the problem of structural hazard detection...")

As per claim 69, the rejection of claim 46 is incorporated;

Anderson et al. do not specifically disclose

- inserting padding operation to provide a skid region.

However, Bala et al. disclose

- inserting one or more padding operations between the operation and a first of the identified ambiguity creating locations that is subsequent to the operation, wherein the one or more padding operations provide at least a portion of a skid region between the operation and the first identified ambiguity creating location sufficient to cover an expected detection latency of the operation (p. 46, left col., section 1, line 6-8, "...insert explicit NOP instructions in the stream to prevent hazards..."; p. 47, left col., 3rd para., "...the ability to insert an instruction into the middle of an already scheduled block...scheduled above a branch...".)

Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to incorporate the teachings of Bala et al. into the teachings of Anderson et al. to include inserting padding operation to provide a skid region.

Art Unit: 2191

The modification would be obvious to one of ordinary skill in the art to want to effectively detect hazards as suggested by Bala et al. (p. 47, left col., line 4-5, "...effectively reducing the problem of structural hazard detection...")

4. Claims 50-54, and 61 are rejected under 35 U.S.C. 103(a) as being unpatentable over Ronstrom (US PGPub. No. 2002/0010913) in view of Bala et al. ("Efficient Instruction Scheduling Using Finite State Automata").

As per claim 50, Ronstrom discloses a computer program product encoded in one or more computer readable media, the computer program product (p. 3, [0037], line 2-3, "... a computer program product...loadable into the memory...") comprising:
an execution sequence of operations (p. 4, [0063], line 3-4, "... a machine code running on a standard processor...");

Ronstrom does not specifically disclose

- Inserting padding instruction to provide a skid region.

However, Bala et al. disclose

- **one or more padding operations following a first operation of the execution sequence, the padding operations providing an unambiguous skid region of the execution sequence between the first operation and a subsequent ambiguity creating location to provide a displacement between the subsequent ambiguity location and the first operation to cover an expected detection latency of the first operation** (p. 46, left col., section 1, line 6-8, "...insert explicit NOP instructions in

Art Unit: 2191

the stream to prevent hazards..."; p. 47, left col., 3rd para.; p. 47, 3rd para., line 6-10, "...insert instruction...when an instruction is speculatively scheduled above a branch..." The examiner asserts that a branch is an ambiguity creating location.).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to incorporate the teachings of Bala et al. into the teachings of Ronstrom to include padding instructions between some particular operations and the ambiguity creating locations to create a skid region. The modification would be obvious to one of ordinary skill in the art to want to effectively detect and reduce hazards as suggested by Bala et al. (p. 47, left col., line 4-5, "...effectively reducing the problem of structural hazard detection...")

As per claim 51, the rejection of claim 50 is incorporated; further Ronstrom discloses **the first operation includes a memory access operation** (p. 1, [0012], line 9-13, "... detecting cache miss penalty... generating dummy instruction code for lowering cache miss penalty and inserting the same..." The examiner asserts that operations related to cache miss are memory access operations.)

As per claim 52, the rejection of claim 50 is incorporated; further Bala et al. discloses **the padding operations include nops** (p. 46, section 1, line 7, "...insert explicit NOP instruction...")

Art Unit: 2191

As per claim 53, the rejection of claim 50 is incorporated; further Ronstrom discloses the **unambiguous skid region does not include an ambiguity creating location** ((p. 46, section 1, line 7, "...insert explicit NOP instruction..." The examiner asserts that inserted NOPS does not create ambiguity.)

As per claim 54, the rejection of claim 50 is incorporated; further Ronstrom discloses the **one or more computer readable media are selected from the set of a disk, tape, magnetic, optical, semiconductor or electronic storage medium** (p. 3, [0039], line 7-8, "... floppy discs and hard drives..." The examiner asserts that a hard drive is a magnetic storage medium.)

As per claim 61, it is the apparatus claim that recites the same limitation as claim 50 and is rejection for the same reason set forth for the rejection of claim 50.

Response to Arguments

In the remark,

Applicant argues:

1) Per remark, page 9, 3rd paragraph, the Applicant argues --

"The Assignee respectfully submits that an execution event may be classified as unambiguous when the backtracking does not encounter an ambiguity creating location, and as ambiguous when an ambiguity creating location is encountered during the backtracking. That is, the presence or absence of execution path ambiguity while backtracking determines whether or not the execution event is ambiguous. See Specification, paragraphs 22-23."

Examiner's response:

1) Upon reviewing paragraph 22-23 and Fig. 2 of the published specification, the examiner still does not see the specification discloses the argued limitations, including the amended claims (for example claim 46).

Applicant argues:

2) Per page 12 of the remark, the Applicant argues a branch is not an ambiguity creating location. Instead, an ambiguity creating location is location reachable from a plurality of program execution.

Examiner's response:

2) Please to the original specification [1007] where examples of an ambiguity creating location include a branch targets locations (Also see claim 5). The Applicant is required to clarify where in the specification discloses "an ambiguity creating location is location reachable from a plurality of program execution." and a branch is not an ambiguity creating location.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Philip Wang whose telephone number is 571-272-5934. The examiner can normally be reached on Mon - Fri 8:00 - 4:00PM. Any inquiry of general nature or relating to the status of this application should be directed to the TC2100 Group receptionist: 571-272-2100.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Wei Zhen can be reached on 571-272-3708. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Art Unit: 2191

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

M. J. R
WEI 210N
SPE TC 210D